

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	dynabook	Logo
Company name *	Dynabook Europe GmbH	
Contact information *	Stresemannallee 4b, 41460 Neuss, Germany	•• dynabook
e-mail address		,
Internet site *	http://emea.dynabook.com/generic/environmental-managemen	t/
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Notebook Computer			
Commercial name *	SATELLITE PRO C30-K, SATELLITE C30-K			
Model number *	PSY10E, PSY11E, PSY12E			
Issue date *	2022-July-25			
Intended market *	🔄 Global 🔀 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	PSY10E, PSY11E, PSY12E	Logo	
Issue date *	2022-July-25		• dynabook

Produc	roduct environmental attributes - Legal requirements				
ltem		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\times			
P1.2*	Products do not contain Asbestos (see legal reference).	\mathbf{X}			
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-				
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
	concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes			
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the				
P1.5"	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	⇒ 🖂			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week				
1.0	(see legal reference).				
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes			
	http://emea.dynabook.com/generic/environmental-management/				
22	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\square			
	symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\square			
	reference)				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square			
	The Declaration of Conformity can be requested at (add link or e-mail address):				
	http://emea.dynabook.com/generic/product-conformity	N			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\bowtie			
	(see legal reference).				
	Required information is; given in item P15 or added to this document,	\bowtie			
	available at (add URL):				
75	http://emea.dynabook.com/generic/environmental-management/				
P5 P5.1*	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		_		
J. I	hexavalent chromium by weight of these together.	\boxtimes			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)			
0.2	used (see legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\mathbf{X}			
	Protocol (see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	PSY10E, PSY11E, PSY12E	_ogo			
Issue date *		2022-July-25	Ģ	dyna	abc	ok
Produc		mental attributes - Market requirements (See General NOTE GN below)		quiren	nent	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design					
		mbly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\bowtie	Π	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Π	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly ava	ailable tools.		Ħ	Π
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product				<u> </u>	
P7.7*		g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*		g can be done using commonly available tools			Ħ	Ħ
P7.9.		Ints are available after end of production for: 5 years				H
P7.10	· ·	s available after end of production for: See P15				+
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: PC+ABS Material type: aluminum Material t	type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			Π	
P7.14	weight (1 polyvinyl	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 a	are low	\boxtimes		
	halogen	as defined in IEC 61249-2-21. (See ⁵ NOTE B2)				
P7.16	Marking:			\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without com	nponents):	_	_	_
	TBBPA (additive) 🔲, TBBPA (reactive) 🗌 (See NOTE B3), Other; chemical name: 👘 , 🤇	CAS #:		\Box	
		nemical specifications of flame retardants in printed circuit boards (without component g ISO 1043-4: <i>FR(40)</i>	ts) > 25 g	\boxtimes		
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/pre ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	eparations in			
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) Image: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: Image: Chemical specifications is/are found at (add URL(s)): The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model nun	nber *	PSY10E,	PSY11E, PSY12E			Logo			1.0
Issue date	*	2022-Jul	y-25				• dyr	nabo	ook
	environm	ental attr	ributes - Market re	quirements (cont	inued)				nt met
Item							Yes	No	n.a.
P7.20*			ance requirements (
17.20	If YES; at a) Of to	least one otal plastic	of the two alternatives	, below shall be answ he postconsumer rec	product (See NOTE B6) vered; sycled plastic material c				
	or .	Ū	ecycled material is						
P7.21*	Biobased	plastic ma	terial content is used	in the product (See N	NOTE B7):			\boxtimes	
	a) Of to total or	otal plastic plastic by		he biobased plastic n	vered; naterial content (calcula	ted as a percent	age of		
P7.22*			ee from mercury, i.e. l becify: Number of lam		o. num mercury content pe	er lamp: r	ng		
P8.1*		nemical co	mposition: Main bat	tery: Li-ion					
P9	,		on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consumpt	ions are reported:				
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Sta modes and tes		ду	
EPS No-loa (External p charger plu outlet but d the product	ower supp Igged in th	e wall	W	W	0.09 W	EN 50563			
PTEC * Typical Ene	ergy Consi	umption	W	W	W				
Power_in_	Off		W	W	Category1: 0.37W Category2: 0.37W	ENERGY STA Requirements Version 8.0		rs	
Power_in_	Sleep		W	W	Category1: 0.87W Category2: 0.94W	ENERGY STA Requirements Version 8.0		rs	
Power_in_l			W	W	Category1: 0.87W Category2: 0.94W	ENERGY STA Requirements Version 8.0	s for Compute	rs	
Power_in_	Short_Idle		W	W	Category1: 6.00W Category2: 5.00W	ENERGY STA Requirements Version 8.0	R® Program s for Compute	rs	
ETEC * Annual Ene			kWh/year	kWh/year	Category1: 17.76kWh/year Category2: 15.88kWh/year	ENERGY STA Requirements Version 8.0		rs	
External Po	ower Supp	ly Efficienc	y Level (International	Efficiency Marking P	rotocol) * : VI				
Display res	olution * :	me	gapixels						\square
Default tim	e to enter e	energy sav	e mode: AC mode: 1	0(to Display off), 15	(to Sleep) minutes				
P9.2*	Informatio	on about th	e energy save functio	on is provided with the	e product.	·	\boxtimes		
P9.3	Energy ef	fficiency cla	ass (monitors only):						\square

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	PSY10E, PSY11E, PSY12E	Logo	
Issue date *	2022-July-25		•• dynabook

	t environmental	attributes - Market requirements (contin	ued)	Require		met
Item				Yes	No	n.a
P10	Emissions					
		- Declared according to ISO 9296 (See NOTE				
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound po	wer level,		
			L _{WA,c} (B)			
	Idle	* ISO7779 Idle	* 2.6		[
	Operation	* ISO7779 Operation-HDD	*			X
	Other mode	ISO7779 ODD (When ODD operates)				X
	Other mode	When cooling fan operates (Fan max.)	4.5		k	
	Monsured acco	rding to: X ISO 7779 ECMA-74				
	Measureu acco		FCMA 34)			
	Other (only if not covered by ECMA-74) Electromagnetic emissions Image: Comparison of the covered by ECMA-74 (Comparison of the c					
P10.4		ay meets the requirement for low frequency elect	omagnetic fields of the following voluntary			
F 10.4	program(s):	ay meets the requirement for low frequency elect	ornaghetic fields of the following voluntary			\bowtie
P12		r computing products				
P12.1*		ets the ergonomic requirements of ISO 9241-307	for visual display technologies.			\boxtimes
P12.2*		but device meets the requirements of ISO 9995 a			H	
P13		documentation				
P13.1*		ing material type(s): Cardboard weight (kg):	0.374			
		ing material type(s): EPE weight (kg):				
	Product packag	ing material type(s): PP weight (kg):				
		ing material type(s): PE weight (kg):	0.015			
P13.2*		primary packaging is free from PVC.				
P13.3*		nary corrugated fiberboard packaging, specify the	contained percentage of minimum post-			
	consumer recovered fiber content: 90.76 %					
P13.4*		or user and product documentation (tick box):				
	Electronic 🔀, Paper 🔀, Other 📃					
P13.5	(Diagaa ambu aa	nplete this item if paper documentation used)				
F 13.5		t documentation on paper media is chlorine-free		\boxtimes		
	If Yes, please s					
	<i>,</i> 1	,				
	Totally chlorine	free		\boxtimes		
	Elemental chlor	ne-free				
	Processed chlorine-free					
P14	Voluntary prog	rams				
P14.1		ets the requirements of the following voluntary p	ogram(s):			
	ENERGY STAF	R Criteria version: 8.0 Da	te: 15-Jun-2022 Product category:	1, 2		
	Eco-label:		te: Product category:			
	Eco-label:	Criteria version: Da	te: Product category:			
P15	Additional info	rmation (See NOTE B10)				
P9		nption of computer products; description of t	he tested product configuration			
P7.10		lepends on service agreement.	.e tetta product comgaration.			
P9	Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard					
	configuration meeting ENERGY STAR® specifications. Use of different configurations or optional devices changes the energy					
	efficiency					
P10	Acoustic noise information published on The Eco Declaration represents the characteristics of a model with standard					
D7 (0		haracteristics of models with different configurati		and a local	-	10
P7.19	The definition of plastic parts in this item does not include cables in harmonization with TCO. AC cable commonly includes R40					
	substances. Information contained in this document is approximate and provided for informational purposes only.					
		des this information without warranties of any kin		t not limite	ed to	
		particular purpose.	a neither expressed nor implied moduling bu			
		not warrant that the content will be error free. All	information in this document is provided to t	he best of		
			has no obligation to update such information			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	