

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Toshiba	Logo		
Company name *	Toshiba Client Solutions Europe GmbH			
Contact information *	Hammfelddamm 8, 41460 Neuss	TOSHIBA		
e-mail address	email: environment@toshiba.eu	IUUIIDA		
Internet site *	http://eu.computers.toshiba-europe.com/innovation/generic/environment-home			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the stateme	nts given in this declaration.				
Type of product *	Portable PC				
Commercial name *	dynaEdge DE-100, DE-105, DE-10*				
	ynaEdge DG-100, DG-105, DG-10*				
	dynaEdge DC100, DC-105, DC-10* , DC10*				
	dynaEdge Mobile Conferencing DC-100, DC-105, DC10*				
	dynaEdge Viewer DG-100, DG-105, DG-10*				
Model number *	POC1*,POC2*,POC3*				
Issue date *	2018/October/01				
Intended market *	🗌 Global 🛛 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	POC1*, POC2*, POC3* Logo			
Issue date *		2018/October/01	TOSI	116	BA
Product	t environ	mental attributes - Legal requirements	Require		t met
Item			Yes	No	n.a.
P1		bus substances and preparations			
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	1-		
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	in the		
P1.6*	Parts wi (see leg	week 🔀			
P1.7*	REACH	nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail contact): ww.toshiba.eu/innovation/generic/environment-greening-of-products/#Management-of- als	\boxtimes		
P2					
F2	Batterie	S S			
P2.1*	If the pro	s oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposa Information on proper disposal is provided in user manual. (See legal reference)	al 🖂		
	If the pro symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposa Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See			
P2.1*	If the pro symbol. Batteries reference	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposa Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See			
P2.1* P2.2*	If the pro symbol. Batteries reference Batteries Conform	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposa Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP)	legal 🔀		
P2.1* P2.2* P2.3*	If the pro- symbol. Batteries reference Batteries Conforr The pro-	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address): <i>https://epps.toshiba</i> -	legal X		
P2.1* P2.2* P2.3* P3	If the pro symbol. Batteries reference Batteries Conforr The pro The pro teg.com The prod	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address): <i>https://epps.toshiba-</i> duct complies with the Eco design requirements for energy-related products,	legal X		
P2.1* P2.2* P2.3* P3.1* P3.2*	If the pro symbol. Batteries reference Batteries Conforr The pro The pro teg.com The pro (see leg	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address): <i>https://epps.toshiba-</i> by/	legal X		
P2.1* P2.2* P2.3* P3.1* P3.2* P3.2*	If the pro symbol. Batteries reference Batteries Conforr The pro teg.com The pro (see leg Requires	boduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) duct complies with the Eco design requirements for energy-related products, al reference). d information is; given in item P15 or added to this document, mity available at (add URL): http://www.toshiba.eu/Eco-Design	legal X		
P2.1* P2.2* P2.3* P3 P3.1* P3.2* P3.2* P5.1*	If the pro symbol. Batteries reference Batteries Conforr The proc teg.com The proc (see leg Requires Product Packagi hexavalo	boduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) autor is CE-marked to show conformance with applicable legal requirements (see legal reference) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) duct complies with the Eco design requirements for energy-related products, al reference). d information is; given in item P15 or added to this document, available at (add URL): http://www.toshiba.eu/Eco-Design t packaging mg and packaging components do not contain more than 0,01% lead, mercury, cadmiur ent chromium by weight of these together.	Iegal		
P2.1* P2.2* P2.3* P3 P3.1* P3.2* P5.2*	If the pro symbol. Batteries reference Batteries Conforr The prod teg.com The prod (see leg Requires Product Packagi hexavals The pac used (see	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) atration of Conformity can be requested at (add link or e-mail address): <i>https://epps.toshiba-v/</i> duct complies with the Eco design requirements for energy-related products, al reference). d information is;	Iegal		
P2.1* P2.2* P2.3* P3 P3.1* P3.2* P3.2* P5.1*	If the pro symbol. Batteries reference Batteries Conforr The proc teg.com The proc (see leg Requires Product Packagi hexavale The pac used (see The proc Units of the proc Description of the pro- the procession of the pro- the procession of the pro- Protocol Comment	boduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) s and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address): <i>https://epps.toshiba-</i> // duct complies with the Eco design requirements for energy-related products, al reference). d information is; given in item P15 or added to this document, available at (add URL): <i>http://www.toshiba.eu/Eco-Design</i> t packaging mg and packaging components do not contain more than 0,01% lead, mercury, cadmiur ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature of the mate see legal reference). duct packaging material is free from ozone depleting substances as specified in the Mc (see legal reference). mt: Legal reference).	Iegal		
P2.1* P2.2* P2.3* P3 P3.1* P3.2* P5.2*	If the pro symbol. Batteries reference Batteries Conforr The pro teg.com The pro (see leg Requires Product Packagi hexavale The pac used (se The pro Comment Treatme	boduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) is or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See e) is and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see legal reference) attraction of Conformity can be requested at (add link or e-mail address): <i>https://epps.toshiba-</i> // duct complies with the Eco design requirements for energy-related products, al reference). d information is; given in item P15 or added to this document, available at (add URL): <i>http://www.toshiba.eu/Eco-Design</i> t packaging ng and packaging components do not contain more than 0,01% lead, mercury, cadmiure ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature of the mate be legal reference). duct packaging material is free from ozone depleting substances as specified in the Moc (see legal reference).	Iegal		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	POC1*, POC2*, POC3*			
Issue date *		2018/October/01	rosł	116	SA
Produc	- Enviro	mental attributes - Market requirements (See General NOTE GN below) onmental conscious design	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disasse	mbly, recycling			
P7.1*		it have to be treated separately are easily separable			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		Ē	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	Ħ
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\square		
P7.8*	Upgradir	ng can be done using commonly available tools		$\overline{\Box}$	Ē
P7.9	Spare pa	arts are available after end of production for: 5 years			
P7.10	· · ·	s available after end of production for: See P15			Ē
	Material	and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
	Material	type: Material type: Material type: SPC+ABS- FR(40)			
P7.12		n materials of external electrical cables are PVC free.		\boxtimes	
P7.13				╞	
P7.14	External weight (polyvinyl	n materials of internal electrical cables are PVC free. plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, a chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in pa ng more than 25% post-consumer recycled content.	nd 🛄		
P7.15		circuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square are lo	w 🖂		
		as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	0	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR(40) (Later, in case of Halogen free PWB)</i>				
P7.18	concentr	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations above 0,1%:	in		
	2. Chem	ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "			
	FR(17)	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\square		
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	-	the following Risk phrases; and Hazard statements:			
P7.20*	Postcons Battery If YES; a a) Of t	rce(s) for these classifications is/are found at (add URL(s)): , (See note B5) sumer recycled plastic material content is used in the product (See Note B6): <i>Lock Knob (GM904203801Z), Convestro FR630 GR</i> It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as procentage of total plastic by weight) is 0 %.			
	or	e weight of recycled material is 0.5 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	POC1*, F	POC2*, POC3*			Logo		
Issue date) *	2018/Oct	ober/01				TOSH	BA
Product	environi	mental att	ributes - Market ı	equirements (cont	inued)		Requirem	
Item							Yes N	o n.a.
			tance requirements					
P7.21*	Biobase	d plastic m	aterial content is use	d in the product (See N	IOTE B7):			
	a) Of of t or	total plastic	c parts' weight > 25 g by weight) is	6.	rered; material content (calcul	lated as a perc	entage	
P7.22*			the biobased plastic	less than 0,1 mg/lamp).			
			specify: Number of la		num mercury content pe	r lamp: r	mg LI L	
P8	Batterie	-						
P8.1*	Battery	chemical co	omposition: Main ba	attery:Li-ion, RTC bat	tery:Li			
P9			ion (See NOTE B8)					
P9.1	For the p	product the	following power leve	ls or energy consumpt	ions are reported:			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		у 🗌
EPS No-lo	ad		W	0.06W	0.09W	EN 50563		
(External p charger plu outlet but o the produc	ugged in t disconnec	he wall						
PTEC *			W	W	W			\boxtimes
Typical En	ergy Cons	sumption						_
ETEC * Annual Energy Consumption			kWh/year	kWh/year	kWh/year			\boxtimes
External P	ower Sup	ply Efficien	cy Level (Internation	al Efficiency Marking P	rotocol) * : VI			
Display resolution * : megapixels						\boxtimes		
Default tim	e to enter	r energy sa	ve mode: 10(to Dis	play off), 15(to Sleep)	minutes			
P9.2*					1			
P9.3								
P10	Emissio					1		
P10.1	Noise e Mode		ode description	o ISO 9296 (See NOT	Statistical upper limi	t A-weighted so	und nower level	
1 10.1	WOUE				$L_{WA,c}$ (B)		איזים אסייפו ופיפו,	
	Idle	*	ISO7779 Idle		* 2.74			
	Operatio	on *	ISO7779 Operation	1	* 2.75			Π
	Other m		ISO7779 ODD (Wh	NA				
	Other m	ode		operates (Fan max.)	4.93			
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	imber *	POC1*, POC2	*, POC3*		Log		
Issue date *		2018/October/01			TOSH	IBA	
Product	environ	mental attribu	tes - Market requirement	s (continued)		Requirer	nent met
Item						Yes	No n.a
		magnetic emiss					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
P12	<u> </u>	mics for compu	0 1				
P12.1*			rgonomic requirements of ISC		1, 2		
P12.2*	The phy	sical input devic	e meets the requirements of I	SO 9995 and ISO 92	41-410.		
P13		ing and docum					
P13.1*	Product	packaging mate	rial type(s): PE we	ight (kg): 0.236 ight (kg): 0.043 ight (kg): 0			
P13.2*	Product	plastic primary p	backaging is free from PVC.			\boxtimes	
P13.3*			rrugated fiberboard packagin er content: 70 %	g, specify the contai	ined percentage of m	inimum post-	
P13.4*		media for user a iic 🔀, Paper 🔀	nd product documentation (tio], Other 🗌	k box):			
P13.5	Ùser an		nis item if paper documentatio nentation on paper media is cl				
		chlorine-free tal chlorine-free					
	Process	ed chlorine-free					
P14	Volunta	ry programs					
P14.1	The pro	duct meets the r	equirements of the following v	oluntary program(s):			
		Y STAR®	Criteria version:	Date:	Product catego		
	Eco-lab		Criteria version:	Date:	Product catego		
	Eco-lab		Criteria version:	Date:	Product catego		
P15	Additio	nal information	(See NOTE B10)		0		
P9			f computer products; desci	iption of the tested	product configuration	n:	
P7.10							
P9	Service period depends on service agreement. Energy Efficiency information published on The Eco Declaration represents only the characteristic of a model with standard configuration meeting ENERGY STAR specifications. Use of different configurations or optional devices changes the energy efficiency						
P10	configu	ration. Charact	ation published on The Eco eristics of models with diffe	rent configurations	may vary.		andard
P7.14/	Cover/I	ousing are ma	de from magnesium. The pr	oduct has no cover/	/housing plastic part	s > 25g.	
P7.16	Th	duat has me	inted airouit based (with	00mnonor4-1 - 05	The main sizes if t	rd in hologram from	
P7.15/ P7.17	i ne pro	ouct nas no pr	inted circuit board (without	components) >25g.	i ne main circuit boa	ra is naiogen tree.	
P7.19	include	s R40 substand					only
Information contained in this document is approximate and provided for informational pur Toshiba provides this information without warranties of any kind neither expressed nor im to warranties for a paricular purpose. Toshiba does not warrant that the content will be error free. All information in this docume Toshiba's knowledge at the time of completion, and Toshiba has no obligation to update s				plied including but n ent is provided to the			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EC (Low Voltage Directive)	P3.1
Directive 2014/30/EC (EMC Directive)	P3.1
Directive 2014/53/EC (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1